





# Cordless Roller Shades Feather Touch™ System

U.S. PATENTS, U.S. & FOREIGN PATENTS PENDING



11/02/2023

	<p><b>LEFT</b> <b>GEN-FTA-L6L-XX</b></p> <p><b>13" to 15.875"</b></p> <p><b>RIGHT</b> <b>GEN-FTA-R6L-XX</b></p> <p><b>23 Ball</b></p>	<p>Feather Touch TENSIONEER (on left) inserts into GEN-T16-2G-1.625 tube. Right used with 2 on 1 Independent</p> <p>Includes FT Control, spring, spring crown &amp; polyethylene spring cover</p> <p>Available Colors: (W) White, (BK) Black</p> <p>End type component and Genesis tube are not included</p> <ul style="list-style-type: none"> <li>• MIN SHADE WIDTH: 13"</li> <li>• MIN SHADE SIZE - 2.17 SQFT</li> <li>• MAX SHADE WIDTH 15.875"</li> <li>• MAX SHADE HEIGHT- 72"</li> <li>• MAX SHADE SIZE - 7.94 SQFT</li> <li>• MAX WEIGHT- UP TO 1.1 LBS</li> </ul>	<p><b>1 PC / BAG</b></p> <p><b>50 PCS/Box</b></p>
	<p><b>LEFT</b> <b>GEN-FTB-L8L-XX</b></p> <p><b>16" to 17.875"</b></p> <p><b>RIGHT</b> <b>GEN-FTB-R8L-XX</b></p> <p><b>23 Ball</b></p>	<p>Feather Touch TENSIONEER (on left) inserts into GEN-T16-2G-1.625 tube. Right used with 2 on 1 Independent</p> <p>Includes FT Control, spring, spring crown &amp; polyethylene spring cover</p> <p>Available Colors: (W) White, (BK) Black</p> <p>End type component and Genesis tube are not included</p> <ul style="list-style-type: none"> <li>• MIN SHADE WIDTH: 16"</li> <li>• MIN SHADE SIZE - 2.67 SQFT</li> <li>• MAX SHADE WIDTH 17.875"</li> <li>• MAX SHADE HEIGHT- 72"</li> <li>• MAX SHADE SIZE - 8.94 SQFT</li> <li>• MAX WEIGHT- UP TO 1.6 LBS</li> </ul>	<p><b>1 PC / BAG</b></p> <p><b>50 PCS/Box</b></p>



# Cordless Roller Shades Feather Touch™ System



U.S. PATENTS, U.S. & FOREIGN PATENTS PENDING

	<p><b>LEFT</b> GEN-FTC-L10L-XX</p> <p><b>18" to 25.875"</b></p> <p><b>RIGHT</b> GEN-FTC- R10L-XX</p> <p><b>23 Ball</b></p>	<p>Feather Touch TENSIONEER (on left) inserts into GEN-T16-2G-1.625 tube. Right used with 2 on 1 Independent</p> <p>Includes FT Control, spring, spring crown &amp; polyethylene spring cover</p> <p>Available Colors: (W) White, (BK) Black</p> <p>End type component and Genesis tube are not included</p> <ul style="list-style-type: none"> <li>• MIN SHADE WIDTH: 18"</li> <li>• MIN SHADE SIZE 3 SQFT</li> <li>• MAX SHADES WIDTH 25.875"</li> <li>• MAX SHADE HEIGHT- 84"</li> <li>• MAX SHADE SIZE - 15.09 SQFT</li> <li>• MAX WEIGHT- UP TO 2.2 LBS</li> </ul>	<p><b>1 PC / BAG</b></p> <p><b>50 PCS/Box</b></p>
	<p><b>LEFT</b> GEN-FTE-L16L-XX</p> <p><b>26" to 35.875"</b></p> <p><b>RIGHT</b> GEN-FTE-R16L-XX</p> <p><b>"E" unit uses a lighter spring than "F" unit</b></p> <p><b>23 Ball</b></p>	<p>Feather Touch TENSIONEER (on left) inserts into GEN-T16-2G-1.625 tube. Right used with 2 on 1 Independent</p> <p>Includes FT Control, spring, spring crown &amp; polyethylene spring cover</p> <p>Available Colors: (W) White, (BK) Black</p> <p>End type component and Genesis tube are not included</p> <ul style="list-style-type: none"> <li>• MIN SHADE WIDTH: 26"</li> <li>• MIN SHADE SIZE 4.33 SQFT</li> <li>• MAX SHADES WIDTH 35.875"</li> <li>• MAX SHADE HEIGHT-84"</li> <li>• MAX SHADE SIZE - 20.93 SQFT</li> <li>• MAX WEIGHT- UP TO 4.3 LBS</li> </ul>	<p><b>1 PC / BAG</b></p> <p><b>50 PCS/Box</b></p>



# Cordless Roller Shades Feather Touch™ System



U.S. PATENTS, U.S. & FOREIGN PATENTS PENDING

	<p><b>LEFT</b> GEN-FTF-L16L-XX</p> <p><b>36" to 59.875"</b></p> <p><b>RIGHT</b> GEN-FTF- R16L-XX</p> <p><b>"F" unit uses a stronger spring than "E" unit</b></p> <p><b>23 Ball</b></p>	<p>Feather Touch TENSIONEER (on left) inserts into GEN-T16-2G-1.625 tube. Right used with 2 on 1 Independent</p> <p>Includes FT Control, spring, spring crown &amp; polyethylene spring cover</p> <p>Available Colors: (W) White, (BK) Black</p> <p>End type component and Genesis tube are not included</p> <ul style="list-style-type: none"> <li>• MIN SHADE WIDTH: 35"</li> <li>• MIN SHADE SIZE 6 SQFT</li> <li>• MAX SHADE WIDTH 59.875"</li> <li>• MAX SHADE HEIGHT- 84"</li> <li>• MAX SHADE SIZE - 34.93 SQFT</li> <li>• MAX WEIGHT- UP TO 7.4 LBS</li> </ul>	<p><b>1 PC / BAG</b></p> <p><b>50 PCS/Box</b></p>
	<p><b>LEFT</b> GEN-FTH-L24L-XX</p> <p><b>60" to 83.875"</b></p> <p><b>RIGHT</b> GEN-FTH-R24L-XX</p> <p><b>23 Ball</b></p>	<p>Feather Touch TENSIONEER (on left) inserts into GEN-T16-2G-1.625 tube. Right used with 2 on 1 Independent</p> <p>Includes FT Control, spring, spring crown &amp; polyethylene spring cover</p> <p>Available Colors: (W) White, (BK) Black</p> <p>End type component and Genesis tube are not included</p> <ul style="list-style-type: none"> <li>• MIN SHADE WIDTH: 60"</li> <li>• MIN SHADE SIZE 10 SQFT</li> <li>• MAX SHADES WIDTH 83.875"</li> <li>• MAX SHADE HEIGHT- 84"</li> <li>• MAX SHADE SIZE - 48.93 SQFT</li> <li>• MAX WEIGHT- UP TO 10.36 LBS</li> </ul>	<p><b>1 PC / BAG</b></p> <p><b>50 PCS/Box</b></p>



# Cordless Roller Shades Feather Touch™ System



U.S. PATENTS, U.S. & FOREIGN PATENTS PENDING

 	<p><b>LEFT</b> <b>GEN-FTI-L24L-XX</b></p> <p><b>84" to 96"</b></p> <p><b>RIGHT</b> <b>GEN-FTI-R24L-XX</b></p> <p><b>"I" unit uses a stronger spring than "H" unit</b></p> <p><b>23 Ball</b></p>	<p>Feather Touch TENSIONEER (on left) inserts into GEN-T16-2G-1.625 tube. Right used with 2 on 1 Independent</p> <p>Includes FT Control, spring, spring crown &amp; polyethylene spring cover</p> <p>Available Colors: (W) White, (BK) Black</p> <p>End type component and Genesis tube are not included</p> <ul style="list-style-type: none"><li>• MIN SHADE WIDTH: 84"</li><li>• MIN SHADE SIZE 14 SQFT</li><li>• MAX SHADES WIDTH 96"</li><li>• MAX SHADE HEIGHT- 84"</li><li>• MAX SHADE SIZE - 56 SQFT</li><li>• MAX WEIGHT- UP TO 12 LBS</li></ul>	<p><b>1 PC / BAG</b></p> <p><b>50 PCS/Box</b></p>
--	---	---	---



# Cordless Roller Shades Feather Touch™ System




U.S. PATENTS, U.S. & FOREIGN PATENTS PENDING

	<p><b>LEFT GEN-FTL-L30L-XX</b></p> <p><b>84" to 96"</b></p> <p><b>23 Ball</b></p>	<p>Feather Touch TENSIONEER (on left) inserts into GEN-T16-2G-1.625 tube.</p> <p>Includes FT Control, spring, spring crown &amp; polyethylene spring cover</p> <p>Available Colors: (W) White, (BK) Black</p> <p>End type component and Genesis tube are not included</p> <ul style="list-style-type: none"> <li>• MIN SHADE WIDTH: 84"</li> <li>• MIN SHADE SIZE 14 SQFT</li> <li>• MAX SHADES WIDTH 96"</li> <li>• MAX SHADE HEIGHT- 84"</li> <li>• MAX SHADE SIZE - 56 SQFT</li> </ul> <p><b>MAX WEIGHT- UP TO 12 LBS</b></p>	<p><b>1 PC / BAG</b></p> <p><b>50 PCS/Box</b></p>
	<p><b>R-IB35UC-EZ23-(X)</b></p> <p><b>ZINC:</b></p> <p><b>WHITE:</b></p>	<p><b>EZ ROLL INSTALLATION BRACKET</b> <b>40mm top width</b>, 35mm from top to center of hole</p> <p><b>23 Ball Clutch</b> <b>Clutch Prong is 12.5mm</b></p> <p>Available Colors: (X) (Z) Zinc, (W) White</p>	<p><b>50 SETS / BAG</b></p> <p><b>250 SETS/ BOX</b></p>



# Cordless Roller Shades Feather Touch™ System



U.S. PATENTS, U.S. & FOREIGN PATENTS PENDING

	<p><b>R-IB45UC-EZ23-(X)</b></p> <p><b>ZINC:</b></p> <p><b>WHITE:</b></p>	<p><b>EZ ROLL INSTALLATION BRACKET</b>  <b>40mm top width</b>, 45mm from top to center of hole</p> <p><b>23 Ball Clutch</b>  <b>Clutch Prong is 12.5mm</b></p> <p><u>Available Colors:</u> (X)          (Z) Zinc, (W) White</p>	<p><b>50 SETS / BAG</b></p> <p><b>250 SETS/ BOX</b></p>
	<p><b>R-IB45UC-EZ32-(X)</b></p> <p><b>ZINC:</b></p> <p><b>WHITE:</b></p>	<p><b>EZ ROLL INSTALLATION BRACKET</b>  <b>40mm top width</b>,          45mm from top to center of hole</p> <p><b>32 Ball Clutch</b>  <b>Clutch Prong is 13.5mm</b></p> <p><u>Available Colors:</u> (X)          (Z) Zinc, (W) White</p>	<p><b>50 SETS / BAG</b></p> <p><b>250 SETS/ BOX</b></p>
	<p><b>TR-OH</b></p>	<p><b>SQUARE_HOLLOW ALUMINUM ROD,</b>  <b>16FT</b></p>	<p><b>96 PCS / BUNDLE</b></p>



# Cordless Roller Shades Feather Touch™ System




U.S. PATENTS, U.S. & FOREIGN PATENTS PENDING

	<p><b>R-EZM-FRP-G1.625</b></p>	<p><b>TENSION POSITIONEER <u>FLUSH IN</u></b> <b>(Heavy Duty) FOR Genesis 1-5/8" TUBE,</b> <b>4 1/2" Long (use with square hole</b> <b>brackets)</b></p> <ul style="list-style-type: none"><li>• <b>Reduces light gap</b></li><li>• <b>Zinc plated threaded steel shaft</b></li><li>• <b>MAX WEIGHT - UP TO 10 LBS.</b></li></ul>	<p><b>10 PCS / BAG</b></p>
	<p><b>R-EZM-FRP-G2</b></p>	<p><b>TENSION POSITIONEER <u>FLUSH IN</u></b> <b>(Heavy Duty) FOR Genesis 2" TUBE, 4</b> <b>1/2" Long (use with square hole</b> <b>brackets)</b></p> <ul style="list-style-type: none"><li>• <b>Reduces light gap</b></li><li>• <b>Zinc plated threaded steel Shaft</b></li><li>• <b>Includes Genesis 2" Tube Adaptor</b></li><li>• <b>MAX WEIGHT - UP TO 30 LBS.</b></li></ul>	<p><b>10 PCS / BAG</b></p>



# Cordless Roller Shades Feather Touch™ System

U.S. PATENTS, U.S. & FOREIGN PATENTS PENDING





	<p><b>R-EZM-FRP-2.5</b></p>	<p><b>TENSION POSITIONER <u>FLUSH IN</u></b>  <b>(Heavy Duty) FOR 2" TUBE, 4 ½" Long</b>  <b>(use with square hole brackets)</b></p> <ul style="list-style-type: none"> <li>• Reduces light gap</li> <li>• Zinc plated threaded steel Shaft</li> <li>• Includes 2.5" Tube Adaptor</li> <li>• MAX WEIGHT - UP TO 40 LBS.</li> </ul>	<p><b>10 PCS / BAG</b></p>
<p><b>2 on 1 Independent</b></p> 	<p><b>R-IND-2ON1-35</b>   <b>R-IND-2ON1-45</b>   <b>R-IND-2ON1-55</b></p>	<p><b>2 ON 1 CONNECTOR <b>INDEPENDENT OPERATION</b></b>  <b>Requires adding correct crowns (see above) for selected tube to be slide towards center support on either side.</b></p> <p><b>Center support drops of 35mm, 45mm or 55mm available depending on tube size &amp; to match mounting brackets.</b></p> <p><b>One FT Control (L &amp; R) at ends.</b></p>	<p><b>1 PC</b></p>
 <p><b>2 on 1 Synchronized</b></p>	<p><b>R-SYC-2ON1-1.625G-35</b>   <b>R-SYC-2ON1-1.625G-45</b>   <b>R-SYC-2ON1-1.625G-55</b></p>	<p><b>2 ON 1 CONNECTOR <b>SYNCHRONIZED OPERATION</b></b>  <b>Correct crowns for Genesis 1.625" tube secured at either side of center support.</b></p> <p><b>Center support drops of 35mm, 45mm or 55mm available depending on tube size &amp; to match mounting brackets.</b></p> <p><b>Uses one left FT Control.</b></p>	<p><b>1 PC</b></p>





# Cordless Roller Shades Feather Touch™ System

U.S. PATENTS, U.S. & FOREIGN PATENTS PENDING

 <p>2 on 1 Synchronized</p>	<p>R-SYC-2ON1-2G-45 R-SYC-2ON1-2G-55</p>	<p><b>2 ON 1 CONNECTOR SYNCHRONIZED OPERATION</b> Correct crowns for Genesis 2" tube secured at either side of center support.</p> <p>Center support drops of 45mm or 55mm available depending on tube size &amp; to match mounting brackets.</p> <p>Uses one left FT Control.</p>	<p>1 PC</p>
 <p>2 on 1 Synchronized</p>	<p>R-SYC-2ON1-2.5-45 R-SYC-2ON1-2.5-55</p>	<p><b>2 ON 1 CONNECTOR SYNCHRONIZED OPERATION</b> Correct crowns for 2.5" tube secured at either side of center support.</p> <p>Center support drops of 45mm or 55mm available depending on tube size &amp; to match mounting brackets.</p> <p>Uses one left FT Control.</p>	<p>1 PC</p>
	<p><b>GEN-EP1.625-XX</b></p>	<p><b>GENESIS 1-5/8" TUBE END PLUG</b></p> <p><u>Available Colors: (XX)</u> (BK) Black, (SW) Snow White</p> <p>*US Patent No. D698624S* *Taiwan Patent No. M418963* *China Patent No. CN 202146190U*</p>	<p><b>50 PCS/ BAG 500 PCS/ BOX</b></p>
	<p><b>FTC-9.2mm-23CRANK</b></p>	<p><b>FEATHER TOUCH CONTROL CRANK (23Ball)</b></p> <p>9.2mm head with metal tab</p> <p>Used to add torque to Feather Touch 23 Ball Control</p>	<p>1 PC / BAG</p>



# Cordless Roller Shades Feather Touch™ System




U.S. PATENTS, U.S. & FOREIGN PATENTS PENDING

	<p><b>FTC-9.2mm-32CRANK</b></p> <p><b>\$17.00/PC</b></p>	<p><b>FEATHER TOUCH CONTROL CRANK (32Ball)</b></p> <p>9.2mm head with metal tab</p> <p>Used to add torque to Feather Touch 32 Ball Control</p>	<p><b>1 PC / BAG</b></p>
	<p><b>GEN-T16-2G-1.625</b></p>	<p><b><u>GENESIS TUBES</u></b></p> <p><b>GENESIS 1-5/8" TUBE, with 2 GROOVES, ALUMINUM, 16FT</b></p> <p><i>**Carries more weight &amp; greater shade widths than standard 1-5/8" tube while substantially under the 2" tube cost.</i></p> <p>Inside Diameter: 37.5mm (1-31/64") Outside Diameter: 40.4mm (1-5/8")</p> <ul style="list-style-type: none"> <li>• <b>Max Shade Width 10 FT</b></li> <li>• <b>Holds up to 16 LBS</b></li> <li>• <b>Max 121 SQFT</b></li> </ul> <p>Available: Anodized Silver and Painted White Finish (Specify)</p> <p>Use with Genesis motor, EZ Clutch with GEN-1.625 ADAPTOR. The Genesis Spring Assist &amp; EZ- Matic (cordless) not available at this time.</p> <p><b>MUST USE Genesis End Plug GEN-EP1.625-XX</b> U.S. Patent Pending</p>	<p><b>10 PCS / BUNDLE (160 FT)</b></p>



# Cordless Roller Shades Feather Touch™ System





U.S. PATENTS, U.S. & FOREIGN PATENTS PENDING

	<p><b>GEN-T20-2</b></p>	<p><b>GENESIS 2" TUBE, ANODIZED ALUMINUM, 16FT</b></p> <p><i>**Carries more weight &amp; greater shade widths than standard 2" tube while substantially under cost.</i></p> <p>Inside Diameter: 47.8mm (1.88") Outside Diameter: 50.8mm (2")</p> <ul style="list-style-type: none"> <li>• <b>Max Shade Width 14 FT</b></li> <li>• <b>Hold up to 20 Lbs</b></li> <li>• <b>Max 140 SQFT</b></li> </ul> <p>Use with Genesis motor, EZ Clutch with R-TA-U adaptor. The Genesis Spring Assist &amp; EZ- Matic (cordless) not available at this time. Use standard end plug R-EPLG-XX</p>	<p><b>4 PCS / BNDL (64FT)</b></p>
	<p><b>2018 *IMPROVED*</b></p> <p><b>R-T24-U-2.5M</b></p>	<p><b>UNIVERSAL ANODIZED 2-1/2" TUBE (16 FT) ALUMINUM</b></p> <p>Inside Diameter 46.6mm (1.84") Outside Diameter 63.5mm (2.5")</p> <ul style="list-style-type: none"> <li>• <b>Max shade width 13 FT</b></li> <li>• <b>Holds up to 24 Lbs</b></li> </ul> <p>Requires R-TA-U-2.5 for end plug</p>	<p><b>3 PCS / BUNDLE (48 FT)</b></p>
	<p><b>TR-TM-WGT</b></p> <p><b>\$3.00/ PC</b></p>	<p>5.6mm (0.22") <u>HEX</u> STEEL ROD, 16FT Galvanized</p> <p>Used as additional weight for bottom rail</p>	<p><b>1 PC</b></p>



# Cordless Roller Shades Feather Touch™ System


U.S. PATENTS, U.S. & FOREIGN PATENTS PENDING

	<p><b>GEN-1.625 ADAPTOR</b></p>	<p><b>ADAPTOR ONLY FOR GENESIS 1- 5/8" TUBE</b></p> <p>Adapts any 1.625" clutch spindles &amp; end plug to the Genesis 1 5/8" Tube</p>	<p><b>100 / BAG</b></p> <p><b>2,000 / BOX</b></p>
	<p><b>R-TA-U</b></p>	<p><b>UNIVERSAL TUBE ADAPTOR</b></p> <p>Adapts 32 ball clutch and end plug for both standard and Genesis 2" tube.</p> <p>Available only in Light Gray</p>	<p><b>50 PCS / BAG</b></p> <p><b>500 PCS / BOX</b></p>
	<p><b>R-TA-U-2.5</b></p>	<p><b>UNIVERSAL 2.5" TUBING ADAPTOR</b></p> <p>Adapts 32 ball clutch and end plug for 2-1/2" tube</p> <p>Available only in Lt. Gray</p>	<p><b>50 PCS / BAG</b></p> <p><b>500 PCS / BOX</b></p>
	<p><b>R-EZM-TA-U-2.5</b></p>	<p><b>UNIVERSAL 2.5" TUBE ADAPTOR</b></p> <p>Adapts 32 ball clutch and end plug for 2-1/2" tube</p> <p>Available only in Lt. Gray</p>	<p><b>50 PCS / BAG</b></p> <p><b>500 PCS / BOX</b></p>



# Cordless Roller Shades Feather Touch™ System

U.S. PATENTS, U.S. & FOREIGN PATENTS PENDING

	<p><b>R-TM-POLE-18</b></p> <p><b>R-TM-POLE-36</b></p>	<p><b>18/36 inch rod.</b></p> <p><b>This rod used to help lift and lower the roller shade.</b></p>	<p><b>1 PC</b></p>
--	---	--	--------------------